

jomsi
SEATING FOR BIG EVENTS



220

CARRAVACCIO

by pininfarina



A NEW CONCEPT
OF
COMFORT
AND LUXURY

by pininfarina



Caravaggio
GP

General Public

plastica
seconda vita
MIX ECO



CARAVAGGIO



CARAVACCIO



CARRAVACCIO



CARRAVACCIO

TECHNICAL DESCRIPTION

CARAVAGGIO

RISER MOUNTED

Caravaggio
GP

General Public

Caravaggio, the new seat designed by Pininfarina, is meant to offer spectators a solution focused on design, elegance and quality, giving life to an aesthetically harmonious product, but also extremely comfortable and functional, characterized by simple and essential lines, although sophisticated, the perfect combination of comfort and luxury.

A project inspired by innovation, technological research and great attention to the environment; infact Caravaggio is a tip-up seat with seat and backrest made with injection copolymer polypropylene derived from differentiated waste collection and / or industrial waste (PSV Second Life Plastic version); certified by IPPR (Institute for the promotion of recycled plastics) fire-retardant and additivated in the mass with substance resistant to UV rays (standard or long-lasting protection), dimensionally complying with FIFA / UEFA recommendations and with European standards UNI EN 13200-1-4; certified with laboratory tests by the largest Italian research and testing institute furniture sector according to the European standard UNI EN 12727: 2017 (level 4 - severe).

DIMENSIONS:

Width 450 mm, overall dimensions with open seat 490 mm., overall dimensions with closed seat 200 mm, minimum center-to-center distance 450 mm.

Supporting frame is manufactured with injection technology using polyamide loaded with glass fiber; particularly suitable for areas with high humidity and salt concentration.

The two sides of the seats are connected by a central pivot, around which the seat rotates, in compliance with UNI EN ISO 13200-4: 2006 point 5.1 (accessible moving parts), preventing the accidental squeezing of the fingers during rotation.

The tilting of the seat takes place by gravity, through a counterweight that is not visible and not accessible as it is located in a special closed compartment.

Non-toxic, 100% recyclable, fire retardant Class 1. (Upon request)

Reclining armrest available upon request. (with or without cup holder)

The aluminum plate is fixed to the backrest by means of tear-off rivets to maintain the anti-vandal characteristics.


Caravaggio in virgin polypropylene is also available.

INSTALLATION:

Installation must be performed by a company with UNI EN ISO 9001:2015 installation quality certificate and complying with UNI EN ISO 14001: 2015 regarding the environmental management system.

RISER MOUNTED: The supporting structure will be fixed in 4 points by means of M8 x 90 mm expansion anchors (consisting of dowel, Ø24 mm washer and M8 nut) which ensure an extreme anti-vandal seal.

Raccomandato FIFA 500 mm





plastica
seconda vita
MIX ECO



CARAVACCIO

TECHNICAL DESCRIPTION

CARAVAGGIO

RISER MOUNTED

Caravaggio
SILVER

Caravaggio, the new seat designed by Pininfarina, is meant to offer spectators a solution focused on design, elegance and quality, giving life to an aesthetically harmonious product, but also extremely comfortable and functional, characterized by simple and essential lines, although sophisticated, the perfect combination of comfort and luxury.

A project inspired by innovation, technological research and great attention to the environment; infact Caravaggio is a tip-up seat with seat and backrest made with injection copolymer polypropylene derived from differentiated waste collection and / or industrial waste (PSV Second Life Plastic version); certified by IPPR (Institute for the promotion of recycled plastics) fire-retardant and additivated in the mass with substance resistant to UV rays (standard or long-lasting protection), dimensionally complying with FIFA / UEFA recommendations and with European standards UNI EN 13200-1-4; certified with laboratory tests by the largest Italian research and testing institute furniture sector according to the European standard UNI EN 12727: 2017 (level 4 - severe).

DIMENSIONS:

Width 450 mm, overall dimensions with open seat 490 mm., overall dimensions with closed seat 200 mm, minimum center-to-center distance 450 mm.

Supporting frame is manufactured with injection technology using polyamide loaded with glass fiber; particularly suitable for areas with high humidity and salt concentration.

The two sides of the seats are connected by a central pivot, around which the seat rotates, in compliance with UNI EN ISO 13200-4: 2006 point 5.1 (accessible moving parts), preventing the accidental squeezing of the fingers during rotation.

The tilting of the seat takes place by gravity, through a counterweight that is not visible and not accessible as it is located in a special closed compartment.

Non-toxic, 100% recyclable, fire retardant Class 1. (Upon request)

Reclining armrest available upon request. (with or without cup holder)

The aluminum plate is fixed to the backrest by means of tear-off rivets to maintain the anti-vandal characteristics.

Caravaggio in virgin polypropylene is also available.

The **"SILVER"** version has a configuration with backrest and seat completely upholstered on the whole surface.


It can be customized with the adoption of different colours combinations and the embroidering of logos and/or writings.

INSTALLATION:

Installation must be performed by a company with UNI EN ISO 9001:2015 installation quality certificate and complying with UNI EN ISO 14001: 2015 regarding the environmental management system.

RISER MOUNTED: The supporting structure will be fixed in 4 points by means of M8 x 90 mm expansion anchors (consisting of dowel, Ø24 mm washer and M8 nut) which ensure an extreme anti-vandal seal.

FIFA Recommended 600 mm





Caravaggio
H

Hospitality



RECLINING ARMREST AVAILABLE UPON REQUEST.



CARAVAGGIO

TECHNICAL DESCRIPTION

CARAVAGGIO

RISER MOUNTED



Caravaggio, the new seat designed by Pininfarina, is meant to offer spectators a solution focused on design, elegance and quality, giving life to an aesthetically harmonious product, but also extremely comfortable and functional, characterized by simple and essential lines, although sophisticated, the perfect combination of comfort and luxury.

A project inspired by innovation, technological research and great attention to the environment; infact Caravaggio is a tip-up seat with seat and backrest made with injection copolymer polypropylene derived from differentiated waste collection and / or industrial waste (PSV Second Life Plastic version); certified by IPPR (Institute for the promotion of recycled plastics) fire-retardant and additivated in the mass with substance resistant to UV rays (standard or long-lasting protection), dimensionally complying with FIFA / UEFA recommendations and with European standards UNI EN 13200-1-4; certified with laboratory tests by the largest Italian research and testing institute furniture sector according to the European standard UNI EN 12727: 2017 (level 4 - severe).

DIMENSIONS:

Width 450 mm, overall dimensions with open seat 490 mm., overall dimensions with closed seat 200 mm, minimum center-to-center distance 450 mm.

Supporting frame is manufactured with injection technology using polyamide loaded with glass fiber; particularly suitable for areas with high humidity and salt concentration.

The two sides of the seats are connected by a central pivot, around which the seat rotates, in compliance with UNI EN ISO 13200-4: 2006 point 5.1 (accessible moving parts), preventing the accidental squeezing of the fingers during rotation.

The tilting of the seat takes place by gravity, through a counterweight that is not visible and not accessible as it is located in a special closed compartment.

Non-toxic, 100% recyclable, fire retardant Class 1. (Upon request)

Reclining armrest available upon request. (with or without cup holder)

The aluminum plate is fixed to the backrest by means of tear-off rivets to maintain the anti-vandal characteristics.

Caravaggio in virgin polypropylene is also available.


The **"Hospitality"** version has a configuration with padded panels fixed directly on the plastic of the seat and back rest by means of screws.

It can be customized with the adoption of different colours combinations and the embroidering of logos and/or writings.

INSTALLATION:

Installation must be performed by a company with UNI EN ISO 9001:2015 installation quality certificate and complying with UNI EN ISO 14001: 2015 regarding the environmental management system.

RISER MOUNTED: The supporting structure will be fixed in 4 points by means of M8 x 90 mm expansion anchors (consisting of dowel, Ø24 mm washer and M8 nut) which ensure an extreme anti-vandal seal.





CARAVACCIO

TECHNICAL DESCRIPTION

CARAVAGGIO

RISER MOUNTED



Caravaggio, the new seat designed by Pininfarina, is meant to offer spectators a solution focused on design, elegance and quality, giving life to an aesthetically harmonious product, but also extremely comfortable and functional, characterized by simple and essential lines, although sophisticated, the perfect combination of comfort and luxury.

A project inspired by innovation, technological research and great attention to the environment; infact Caravaggio is a tip-up seat with seat and backrest made with injection copolymer polypropylene derived from differentiated waste collection and / or industrial waste (PSV Second Life Plastic version); certified by IPPR (Institute for the promotion of recycled plastics) fire-retardant and additivated in the mass with substance resistant to UV rays (standard or long-lasting protection), dimensionally complying with FIFA / UEFA recommendations and with European standards UNI EN 13200-1-4; certified with laboratory tests by the largest Italian research and testing institute furniture sector according to the European standard UNI EN 12727: 2017 (level 4 - severe).

DIMENSIONS:

Width 450 mm, overall dimensions with open seat 490 mm., overall dimensions with closed seat 200 mm, minimum center-to-center distance 450 mm.

Supporting frame is manufactured with injection technology using polyamide loaded with glass fiber; particularly suitable for areas with high humidity and salt concentration.

The two sides of the seats are connected by a central pivot, around which the seat rotates, in compliance with UNI EN ISO 13200-4: 2006 point 5.1 (accessible moving parts), preventing the accidental squeezing of the fingers during rotation.

The tilting of the seat takes place by gravity, through a counterweight that is not visible and not accessible as it is located in a special closed compartment.

Non-toxic, 100% recyclable, fire retardant Class 1. (Upon request)

Reclining armrest available upon request. (with or without cup holder)

The aluminum plate is fixed to the backrest by means of tear-off rivets to maintain the anti-vandal characteristics.

Caravaggio in virgin polypropylene is also available.

The “VIP” version has a configuration with backrest and seat completely upholstered on the whole surface.


It can be customized with the adoption of different colours combinations and the embroidering of logos and/or writings.

INSTALLATION:

Installation must be performed by a company with UNI EN ISO 9001:2015 installation quality certificate and complying with UNI EN ISO 14001: 2015 regarding the environmental management system.

RISER MOUNTED: The supporting structure will be fixed in 4 points by means of M8 x 90 mm expansion anchors (consisting of dowel, Ø24 mm washer and M8 nut) which ensure an extreme anti-vandal seal.

FIFA Recommended 600 mm





Caravaggio
GOLD



CARAVACCIO

TECHNICAL DESCRIPTION

CARAVAGGIO

RISER MOUNTED

Caravaggio
GOLD

Caravaggio, the new seat designed by Pininfarina, is meant to offer spectators a solution focused on design, elegance and quality, giving life to an aesthetically harmonious product, but also extremely comfortable and functional, characterized by simple and essential lines, although sophisticated, the perfect combination of comfort and luxury.

A project inspired by innovation, technological research and great attention to the environment; infact Caravaggio is a tip-up seat with seat and backrest made with injection copolymer polypropylene derived from differentiated waste collection and / or industrial waste (PSV Second Life Plastic version); certified by IPPR (Institute for the promotion of recycled plastics) fire-retardant and additivated in the mass with substance resistant to UV rays (standard or long-lasting protection), dimensionally complying with FIFA / UEFA recommendations and with European standards UNI EN 13200-1-4; certified with laboratory tests by the largest Italian research and testing institute furniture sector according to the European standard UNI EN 12727: 2017 (level 4 - severe).

DIMENSIONS:

Width 450 mm, overall dimensions with open seat 490 mm., overall dimensions with closed seat 200 mm, minimum center-to-center distance 450 mm.

Supporting frame is manufactured with injection technology using polyamide loaded with glass fiber; particularly suitable for areas with high humidity and salt concentration.

The two sides of the seats are connected by a central pivot, around which the seat rotates, in compliance with UNI EN ISO 13200-4: 2006 point 5.1 (accessible moving parts), preventing the accidental squeezing of the fingers during rotation.

The tilting of the seat takes place by gravity, through a counterweight that is not visible and not accessible as it is located in a special closed compartment.

Non-toxic, 100% recyclable, fire retardant Class 1. (Upon request)

Reclining armrest available upon request. (with or without cup holder)

The aluminum plate is fixed to the backrest by means of tear-off rivets to maintain the anti-vandal characteristics.

Caravaggio in virgin polypropylene is also available.

The “**GOLD**” version has a configuration with backrest and seat completely upholstered on the whole surface.


It can be customized with the adoption of different colours combinations and the embroidering of logos and/or writings.

INSTALLATION:

Installation must be performed by a company with UNI EN ISO 9001:2015 installation quality certificate and complying with UNI EN ISO 14001: 2015 regarding the environmental management system.

RISER MOUNTED: The supporting structure will be fixed in 4 points by means of M8 x 90 mm expansion anchors (consisting of dowel, Ø24 mm washer and M8 nut) which ensure an extreme anti-vandal seal.

FIFA Recommended 600 mm



INSTALLATIONS

CARRAVAGGIO

Circuit Francoshamps - Belgium

Unipol Domus - Cagliari, Italy


Arena Borghesi - Faenza, Italy

Olimpic Stadium - Roma, Italy

Porta Elisa Stadium - Lucca, Italy

Zini Stadium - Cremona, Italy

Roi Baudouin Stadium - Bruxelles, Belgium



design by

pininfarina

COLOURS

CARRAVAGGIO

STANDARD COLOURS:



F0001



R3002



R7004



R5017



R6001



R1021



F0009

NON-STANDARD COLOURS AT LEAST 500 PCS:



WITHE
R9003
R9010



BEIGE
R1001
R8000



YELLOW
R1034



ORANGE
F0004
R2009
R2003



RED
R3001
R3004
R3020



GREEN
R6032
R6018
R6026
R6004
R6024



LIGHT BLUE
P283C



BLUE
R5002
R5012
R5013
R5014
R5024



GREY
P428C
R7004
R7035
R7037
R7040
R7016
R7022



BORDEAUX
P504C



BROWN
R8019



OTHER
COLOURS



Fight pollution, sit on a green solution



Via Parini, 3 - 40069 Zola Predosa (BO) Italy
Tel. +39 051 6164311 (2 linee r.a.) - Fax +39 051 6164317
info@omsi.it - soft@omsi.it - www.omsi.it